



NOT FOR CONSTRUCTION



SITE SPECIFIC REQUIREMENTS		
COUNT	DESCRIPTION	INSTALLED BY
	FILTERRA SURFACE AREA (m ²)	OCEAN PROTECT
	MULCH VOLUME (m ³)	OCEAN PROTECT
	FILTERRA MEDIA DEPTH (mm)	OCEAN PROTECT
	VOLUME OF UNDERDRAIN STONE (m ³)	OCEAN PROTECT
	FILTERRA LINER (m)	OCEAN PROTECT

- GENERAL NOTES**
- OCEAN PROTECT TO PROVIDE ALL MATERIALS UNLESS NOTED OTHERWISE.
 - PLANT, MULCH, AND DISSIPATION ROCK ARE SUPPLIED BY OCEAN PROTECT AND DELIVERED AT TIME OF SYSTEM ACTIVATION. PLANT SELECTION SHALL BE DONE BY THE CERTIFYING ENGINEER IN ACCORDANCE WITH THE PROJECT PLANS AND SPECIFICATIONS.
 - INTERNAL PIPES AND FITTINGS SUPPLIED AND INSTALLED BY OCEAN PROTECT.
 - SITE SPECIFIC PRODUCTION DRAWING WILL BE PROVIDED ON PLACEMENT OF ORDER.
 - FILTERRA WATER QUALITY STRUCTURE SHALL BE IN ACCORDANCE WITH ALL DESIGN DATA AND INFORMATION CONTAINED IN THIS DRAWING.
 - STRUCTURE SHALL BE IN ACCORDANCE WITH AS3600.

- INSTALLATION NOTES**
- ANY SUB-BASE, BACKFILL DEPTH, AND/OR ANTI-FLOTATION PROVISIONS ARE SITE-SPECIFIC DESIGN CONSIDERATIONS AND SHALL BE SPECIFIED BY CERTIFYING ENGINEER.
 - CONTRACTOR TO PROVIDE ALL EQUIPMENT WITH SUFFICIENT LIFTING AND REACH CAPACITY TO LIFT AND SET THE STORMFILTER STRUCTURE (LIFTING DETAIL PROVIDED SEPARATELY).
 - CONTRACTOR TO APPLY SEALANT TO ALL JOINTS AND TO PROVIDE, INSTALL AND GROUT INLET AND OUTLET PIPES.
 - CONTRACTOR TO TAKE APPROPRIATE MEASURES TO PROTECT FILTERRA MEDIA BAY FROM CONSTRUCTION-RELATED EROSION RUNOFF.
 - OCEAN PROTECT IS RESPONSIBLE FOR ACTIVATION OF THE SYSTEM AND PLANTING OF THE PLANT THAT IS SPECIFIED. ACTIVATION ONLY OCCURS WHEN THE SITE IS FULLY STABILIZED, FINAL PAVEMENT INSTALLED AND SWEEPED CLEAN OF CONSTRUCTION SEDIMENT.



OCEAN PROTECT
 FILTERRA TREE PIT SYSTEM
 SPECIFICATION DRAWING